



# HAYWARD®

THE SECRET FOR A SUCCESSFUL POOL

ONLINE  
SERVICES

Special offers  
Free additional guarantee extension  
Free newsletter sign-up  
Design your pool  
Energy savings calculator  
Online expert  
Spare parts catalogue

[www.hayward-pool.co.uk](http://www.hayward-pool.co.uk)



ALSO FOLLOW US ON:

[facebook.com/hayward.fr](https://facebook.com/hayward.fr)



[HaywardPoolEurope](https://HaywardPoolEurope)



SINCE 1964

INNOVATION

# SwimClear™



THE NEW GENERATION  
OF POOL FILTERS



PUMPS

**FILTERS**

HEAT PUMPS

CLEANERS

WATER TREATMENT

CONTROL

LIGHTING AND WHITE GOODS



**HAYWARD®**

THE SECRET FOR A SUCCESSFUL POOL

SINCE 1964

INNOVATION

# SwimClear™

THE NEW GENERATION OF POOL FILTERS



## SwimClear™ is:

### A COMPACT SOLUTION FOR TOP PERFORMANCE AND BIG SAVINGS

Unlike standard sand filters, SwimClear™:

- captures more debris thanks to its innovative design, delivering energy savings and cutting down on the use of chemical products.
- has very low head loss (up to 10 times less), and is twice as effective when used with a variable-speed pump
- is small in size, meaning it can be installed in even the smallest plant room.



### NSF CERTIFIED

Tested to the strictest international public health and safety standards, guaranteeing a high degree of technical expertise.



FILTERS TWICE  
AS EFFECTIVELY

The SwimClear™ filter is a major technological breakthrough, being twice as effective and with improved dirt-holding capacity.

Delivering clearer water, energy savings, and less frequent maintenance.



## Single-cartridge SwimClear™

**Ultra compact design:  
easy to install, simple to maintain!**

Because space is at a premium in an equipment room, it is easy to find room for **SwimClear™**, facilitating maintenance and control operations.



**3 models for a flow rate of 20 to 30 m<sup>3</sup>/h**

Versions	Effective filtering area	Reference flow rat (sand filter)	Inlet/Outlet Diameter
<b>C100SE</b>	9.3 m <sup>2</sup>	20 m <sup>3</sup> / h	63 mm
<b>C150SE</b>	14 m <sup>2</sup>	25 m <sup>3</sup> / h	63 mm
<b>C200SE</b>	18.6 m <sup>2</sup>	30 m <sup>3</sup> / h	63 mm

## Multi-cartridge SwimClear™

**Up to 63 m<sup>2</sup> of filtering area**

High-capacity SwimClear™ cartridge filters **offer a very high retention capacity with minimum maintenance.**

Their reinforced polyester cartridge extends cartridge filter durability.



Top manifold for better filtration and optimised hydraulic performance



**4 models for a flow rate of 14 to 35 m<sup>3</sup>/h**

Versions	Effective filtering area	Reference flow rat (sand filter)	Inlet/Outlet Diameter
<b>C3030EURO</b>	30 m <sup>2</sup>	14 m <sup>3</sup> / h	50 mm
<b>C4030EURO</b>	39 m <sup>2</sup>	22 m <sup>3</sup> / h	63 mm
<b>C5030EURO</b>	49 m <sup>2</sup>	30 m <sup>3</sup> / h	63 mm
<b>C7030EURO*</b>	63.2 m <sup>2</sup>	35 m <sup>3</sup> / h	63 mm

\* **C7030EURO** : contains 8 cartridges.

**As effective as a sand filter**

YEARS OF WARRANTY

**10** TANK  
**5** DEVICES  
**TOTALLY PARTNER +1**

